



GT11 Long Wheelbase



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Long
Drive System		4 x 2
Application Engines		ISF3,8s3168 (Euro3) / ISF3,8s5168 (Euro5)
Dimensions (mm)		
Wheel Base		3,850
Overall (Chassis Cab)	Length	7,015
	Width	2,028 (Door Handle)
	Height	2,325 (235 / 75R17.5)
Wheel Tread	Front	1,732
	Rear	1,823
Overhang (Chassis Cab)	Front	1,135
	Rear	2,030
C.A (Cab to rear Axle)		3,260
C.E (Cab to End of frame)		5,180
Min. Ground Clearance		140 (235 / 75R17.5)
Min. Turning Radius	m	7.72
Weight (kg)		
		Euro3
		Euro5
Chassis Cab Weight (AMT/MT)		3,460 / 3,490
	Front	1,960 /1,990
	Rear	1,500 / 1,500
** Max Gross Vehicle Weight (AMT/MT)		11,000
	Front	3,400
	Rear	7,600

** Max, GVW includes the front & rear axle loads based on the permissible tire load.


GT11 Long Wheelbase (E6)



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Long
Drive System		4 x 2
Application Engines		F3.8EVI170 (Euro6)
Dimensions (mm)		
Wheel Base		3,850
Overall (Chassis Cab)	Length	6,695
	Width	2,028 (Door Handle)
	Height	2,325 (235 / 75R17.5)
Wheel Tread	Front	1,732
	Rear	1,823
Overhang (Chassis Cab)	Front	1,135
	Rear	1,710
C,A (Cab to rear Axle)		3,260
C,E (Cab to End of frame)		4,965
Min. Ground Clearance		140 (235 / 75R17.5)
Min. Turning Radius	m	7.72
Weight (kg)		
Chassis Cab Weight (AMT/MT)		3,516 / 3,513
	Front	2,042 / 2,036
	Rear	1,474 / 1,477
** Max Gross Vehicle Weight (AMT/MT)		11,000
	Front	3,600
	Rear	7,400

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT11 Extra Long Wheelbase



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Extra Long
Drive System		4 x 2
Application Engines		ISF3.8s3168 (Euro3) / ISF3.8s5168 (Euro5)
Dimensions (mm)		
Wheel Base		4,200
Overall (Chassis Cab)	Length	7,365
	Width	2,028 (Door Handle)
	Height	2,325 (235 / 75R17.5)
Wheel Tread	Front	1,732
	Rear	1,823
Overhang (Chassis Cab)	Front	1,135
	Rear	2,030
C.A (Cab to rear Axle)		3,610
C.E (Cab to End of frame)		5,530
Min. Ground Clearance		140 (235 / 75R17.5)
Min. Turning Radius	m	8.41
Weight (kg)		
		Euro3
		Euro5
Chassis Cab Weight (AMT/MT)		3,475 / 3,510
	Front	1,970 / 2,000
	Rear	1,505 / 1,510
** Max Gross Vehicle Weight (AMT/MT)		11,000
	Front	3,400
	Rear	7,600

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT11 Extra Long Wheelbase (E6)



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Extra Long
Drive System		4 x 2
Application Engines		F3,8EVIE170 (Euro6)
Dimensions (mm)		
Wheel Base		4,200
Overall (Chassis Cab)	Length	7,260
	Width	2,028 (Door Handle)
	Height	2,325 (235 / 75R17,5)
Wheel Tread	Front	1,732
	Rear	1,823
Overhang (Chassis Cab)	Front	1,135
	Rear	1,925
C,A (Cab to rear Axle)		3,610
C,E (Cab to End of frame)		5,530
Min. Ground Clearance		140 (235 / 75R17,5)
Min. Turning Radius	m	8,41
Weight (kg)		
Chassis Cab Weight (AMT/MT)		3,539 / 3,537
	Front	2,072 / 2,067
	Rear	1,467 / 1,470
** Max Gross Vehicle Weight (AMT/MT)		11,000
	Front	3,600
	Rear	7,400

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT11 Ultra Long Wheelbase



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Ultra Long
Drive System		4 x 2
Application Engines		ISF3.8s3168 (Euro3) / ISF3.8s5168 (Euro5)
Dimensions (mm)		
Wheel Base		4,500
Overall (Chassis Cab)	Length	8,000
	Width	2,028 (Door Handle)
	Height	2,325 (235 / 75R17.5)
Wheel Tread	Front	1,732
	Rear	1,823
Overhang (Chassis Cab)	Front	1,135
	Rear	2,365
C.A (Cab to rear Axle)		3,910
C.E (Cab to End of frame)		6,165
Min. Ground Clearance		140 (235 / 75R17.5)
Min. Turning Radius	m	9.00
Weight (kg)		
		Euro3
		Euro5
Chassis Cab Weight (AMT/MT)		3,540 / 3,575
	Front	1,960 / 1,990
	Rear	1,580 / 1,585
** Max Gross Vehicle Weight (AMT/MT)		11,000
	Front	3,400
	Rear	7,600

** Max. GVW includes the front & rear axle loads based on the permissible tire load.

GT11 Ultra Long Wheelbase (E6)



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Ultra Long
Drive System		4 x 2
Application Engines		F3,8EVI170 (Euro6)
Dimensions (mm)		
Wheel Base		4,500
Overall (Chassis Cab)	Length	7,650
	Width	2,028 (Door Handle)
	Height	2,325 (235 / 75R17,5)
Wheel Tread	Front	1,732
	Rear	1,823
Overhang (Chassis Cab)	Front	1,135
	Rear	2,015
C,A (Cab to rear Axle)		3,910
C,E (Cab to End of frame)		5,920
Min. Ground Clearance		140 (235 / 75R17,5)
Min. Turning Radius	m	9,00
Weight (kg)		
Chassis Cab Weight (AMT/MT)		3,609 / 3,607
	Front	2,102 / 2,097
	Rear	1,507 / 1,510
** Max Gross Vehicle Weight (AMT/MT)		11,000
	Front	3,600
	Rear	7,400

** Max. GVW includes the front & rear axle loads based on the permissible tire load.