



GT9 Long Wheelbase



Cab	Width	Wide		
	Length	Standard		
	Height	Standard		
Wheel Base		Long		
Drive System		4 x 2		
Application Engines		ISF3,8s3154 (Euro3) / ISF3,8s4R154 (Euro4) / ISF3,8s5154 (Euro5)		
Dimensions (mm)				
Wheel Base		3,850		
Overall (Chassis Cab)	Length	7,020		
	Width	2,028 (Door Handle)		
	Height	2,320 (225 / 75R17,5)		
Wheel Tread	Front	1,752		
	Rear	1,724		
Overhang (Chassis Cab)	Front	1,135		
	Rear	2,035		
C.A (Cab to rear Axle)		3,260		
C.E (Cab to End of frame)		5,180		
Min. Ground Clearance		165 (225 / 75R17,5)		
Min. Turning Radius	m	7.72		
Weight (kg)		Euro3	Euro4	Euro5
Chassis Cab Weight (AMT/MT)		3,390 / 3,345	3,400 / 3,355	3,360 (MT)
	Front	1,945 / 1,920	1,950 / 1,925	1,925 (MT)
	Rear	1,445 / 1,425	1,450 / 1,430	1,435 (MT)
** Max Gross Vehicle Weight (AMT/MT)		9,500		
	Front	3,095 / 3,078	3,170 / 3,153	3,155 (MT)
	Rear	6,405 / 6,422	6,330 / 6,347	6,345 (MT)

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT9 Long Wheelbase (E6)



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Long
Drive System		4 x 2
Application Engines		F3.8EVI156 (Euro6)
Dimensions (mm)		
Wheel Base		3,850
Overall (Chassis Cab)	Length	6,695
	Width	2,028 (Door Handle)
	Height	2,320 (225 / 75R17.5)
Wheel Tread	Front	1,752
	Rear	1,724
Overhang (Chassis Cab)	Front	1,135
	Rear	1,710
C.A (Cab to rear Axle)		3,260
C.E (Cab to End of frame)		4,965
Min. Ground Clearance		165 (225 / 75R17.5)
Min. Turning Radius	m	7.72
Weight (kg)		
Chassis Cab Weight (AMT/MT)		3,406 / 3,307
	Front	1,989 / 1,917
	Rear	1,417 / 1,390
** Max Gross Vehicle Weight (AMT/MT)		9,500
	Front	3,325 / 3,273
	Rear	6,175 / 6,227

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT9 Extra Long Wheelbase



Cab	Width	Wide		
	Length	Standard		
	Height	Standard		
Wheel Base		Extra Long		
Drive System		4 x 2		
Application Engines		ISF3.8s3154 (Euro3) / ISF3.8s4R154 (Euro4) / ISF3.8s5154 (Euro5)		
Dimensions (mm)				
Wheel Base		4,200		
Overall (Chassis Cab)	Length	7,370		
	Width	2,028 (Door Handle)		
	Height	2,320 (225 / 75R17.5)		
Wheel Tread	Front	1,752		
	Rear	1,724		
Overhang (Chassis Cab)	Front	1,135		
	Rear	2,035		
C.A (Cab to rear Axle)		3,610		
C.E (Cab to End of frame)		5,530		
Min. Ground Clearance		165 (225 / 75R17.5)		
Min. Turning Radius	m	8.41		
Weight (kg)		Euro3	Euro4	Euro5
Chassis Cab Weight (AMT/MT)		3,405 / 3,360	3,415 / 3,370	3,380 (MT)
	Front	1,960 / 1,930	1,965 / 1,935	1,935 (MT)
	Rear	1,445 / 1,430	1,450 / 1,435	1,445 (MT)
** Max Gross Vehicle Weight (AMT/MT)		9,500		
	Front	3,290 / 3,273	3,347 / 3,330	3,335 (MT)
	Rear	6,210 / 6,227	6,153 / 6,170	6,165 (MT)

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT9 Extra Long Wheelbase (E6)



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Extra Long
Drive System		4 x 2
Application Engines		F3,8EVIE156 (Euro6)
Dimensions (mm)		
Wheel Base		4,200
Overall (Chassis Cab)	Length	7,260
	Width	2,028 (Door Handle)
	Height	2,320 (225 / 75R17.5)
Wheel Tread	Front	1,752
	Rear	1,724
Overhang (Chassis Cab)	Front	1,135
	Rear	1,925
C.A (Cab to rear Axle)		3,610
C.E (Cab to End of frame)		5,530
Min. Ground Clearance		165 (225 / 75R17.5)
Min. Turning Radius	m	8.41
Weight (kg)		
Chassis Cab Weight (AMT/MT)		3,429 / 3,330
	Front	2,015 / 1,941
	Rear	1,414 / 1,389
** Max Gross Vehicle Weight (AMT/MT)		9,500
	Front	3,347 / 3,292
	Rear	6,153 / 6,208

** Max. GVW includes the front & rear axle loads based on the permissible tire load.


GT9 Ultra Long Wheelbase



Cab	Width	Wide		
	Length	Standard		
	Height	Standard		
Wheel Base		Ultra Long		
Drive System		4 x 2		
Application Engines		ISF3,8s3154 (Euro3) / ISF3,8s4R154 (Euro4) / ISF3,8s5154 (Euro5)		
Dimensions (mm)				
Wheel Base		4,500		
Overall (Chassis Cab)	Length	8,005		
	Width	2,028 (Door Handle)		
	Height	2,320 (225 / 75R17,5)		
Wheel Tread	Front	1,752		
	Rear	1,724		
Overhang (Chassis Cab)	Front	1,135		
	Rear	2,370		
C.A (Cab to rear Axle)		3,910		
C.E (Cab to End of frame)		6,165		
Min. Ground Clearance		165 (225 / 75R17,5)		
Min. Turning Radius	m	9,00		
Weight (kg)		Euro3	Euro4	Euro5
Chassis Cab Weight (AMT/MT)		3,465 / 3,420	3,475 / 3,430	3,435 (MT)
	Front	1,965 / 1,935	1,970 / 1,940	1,945 (MT)
	Rear	1,500 / 1,485	1,505 / 1,490	1,490 (MT)
** Max Gross Vehicle Weight (AMT/MT)		9,500		
	Front	3,208 / 3,190	3,265 / 3,247	3,248 (MT)
	Rear	6,292 / 6,310	6,235 / 6,253	6,252 (MT)

** Max. GVW includes the front & rear axle loads based on the permissible tire load.

GT9 Ultra Long Wheelbase (E6)



Cab	Width	Wide
	Length	Standard
	Height	Standard
Wheel Base		Ultra Long
Drive System		4 x 2
Application Engines		F3.8EVIE156 (Euro6)
Dimensions (mm)		
Wheel Base		4,500
Overall (Chassis Cab)	Length	7,650
	Width	2,028 (Door Handle)
	Height	2,320 (225 / 75R17.5)
Wheel Tread	Front	1,752
	Rear	1,724
Overhang (Chassis Cab)	Front	1,135
	Rear	2,015
C.A (Cab to rear Axle)		3,910
C.E (Cab to End of frame)		5,920
Min. Ground Clearance		165 (225 / 75R17.5)
Min. Turning Radius	m	9,00
Weight (kg)		
Chassis Cab Weight (AMT/MT)		3,497 / 3,399
	Front	2,047 / 1,973
	Rear	1,450 / 1,426
** Max Gross Vehicle Weight (AMT/MT)		9,500
	Front	3,426/ 3,372
	Rear	6,074 / 6,128

** Max. GVW includes the front & rear axle loads based on the permissible tire load.